

[Common-serie schakelaar Pogo Pin Metal Probe geproduceerd](#)

Specificatie:

| | |
|--------------|---|
| Merk | SFENG SONDE |
| Item Aantal | Schakelaar sonde SF-SP2.96 * 49.5 |
| Plunjer | Messing |
| Vat | Messing |
| De lente | Roestvrij staal |
| plating | goud plated over- nikkel |
| Plastic kop | POM |
| Einde pin | Bronzen |
| Lente kracht | 100g |
| MOQ | 100st als wij hebben voorraad |
| Lood tijd | 2-15 dagen na ontvangende de betaling |

Artikel Laten zien:









Ons belangrijkste product:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Onze voordelen:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Testapparatuur:

| | | |
|--|--|---|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  |  |  |
| Microscope | Tensile strength tester | Spring tester |
|  |  |  |

Pakket:

