

ICT test probe SF-PS160-T1.36*10.56MM


Product Specification

Brand	SFENG
Item number	PS160-D(2.0)
Plunger	Brass or Becu, gold or Ni plated
Barrel	Brass, gold or Ni plated
Spring	SK4, music wire
Spring Force	according to your requirement
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture

SFENG
The China's The World's





Materials (Plated) (材質與鍍層):

- ① Barrel (針套) : Brass (黃銅) , Au on Ni Plated
 ② Plunger (針軸) : Brass (黃銅) , Ni Plated
 Spring (彈弓) : SUS304 (不鏽鋼線) , /

Specifications (技術要求):

- Current Rating (額定電流) : 3A
 Contact Resistance (接觸電阻) : < 50mΩ
 Full Stroke (滿行程) : 2.08mm
 Spring Force (額定彈力) : 150~200gf @ load 2.08mm


Our Service

1. Reply your inquiry with 24 working hours
2. Customized design is available, OEM are welcomed
3. Delivery the probe pins to our clients all over the world with speed and precision
4. Provide the lowest price with high quality to our client


Main Products

- Spring loaded pin (single) for PCB, ICT, FCT testing, etc;
- Pogo pin (connector) to establish a (usually temporary) connection between two printed circuit boards for charging, locating, Battery, Semiconductor & interconnect Applications;
- Double ended probe or BGA & semiconductor testing;
- Universal pin without spring, coating pin, LM pin with QZ & VZ series;
- High current probe, Switch probe, Capacitance needle...
- Terminal & receptacle/socket;
- Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge, etc


Quality Control



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Packing Picture

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

