



SFENG 1984年11月18日...
 ...



品名	SF33-4-19-6A
规格	...
性能	... ≥ 30000 $-40^{\circ}\text{C}/105^{\circ}\text{C}$ 6A $3.0\text{Kg} \pm 20\% (3.5\text{mm})$
数量	100
备注	...







1. 24-pin connector
2. OEM
- 3.
- 4.



1. PCB/ICT/FCT
2. Pogo pin

3. BGA

4. QZVZLM

5.

6. /

7. 30#OK POM



1. Raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection



5. Finished products



6. Packing





Q1.□□□□□□□□

A1: □□□□□□□□□□□□□□□□□□□□□□□□

Q2.□□□□□□□□

A2: □□□□□□□□QC□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q3.□□□□□□□□

A3: □□□□□□□□□□□□□□□□□□□□□□□□

Q4.□□□□□□□□

A4: □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

Q5.□□□□□□□□□□□□□□

A5: [Placeholder]

Q6. [Placeholder]

A6: [Placeholder]

Q7. [Placeholder] **OEM** [Placeholder] **ODM** [Placeholder]

A7: [Placeholder] OEM/ODM [Placeholder]

Q8. [Placeholder]

A8: [Placeholder]