


□□□□

□□□□	SF-P125-J(120)
□□□	4.5□□
□□□	180±20%gf@□□ 4.5mm
□□ □□	≤50mΩ
□□□	100PCS
□□	□□
□□□□	5-10 □ □□ □□□



□□ □□



Materials(Plated) (材質與鍍層) :
 Barrel(針套) : Brass(黃銅) , Au on Ni Plated
 Plunger(針軸) : Brass(黃銅) , Ni Plated
 Spring(彈弓) : SUS (不銹鋼線) , /

Specifications (技術要求) :
 Full Stroke(滿沖程) : 4.5mm
 Spring Force(彈力) : 180±20%gf@ load 4.5mm



					名称: SF-P125-J(L20)		胜峰科技	
							说明: 1. 所有尺寸单位为mm 2. 未注图示尺寸公差:按GB1804-79 11级精度执行	
标记	处数	更改文件号	签字	日期	图样标记	视图	质量	比例
设计					S	A	⊕	1:1
校对								
审核								
工艺				日期 2020-09-24	共 1 页	第 1 页	图纸编号:	



Probe specifications SF-P125(技术规格)

- Recommended minimum center(最小间距): 3.17mm(.1248")
- Mounting hole size(钻孔尺寸): 压克力: 2.40mm(.0945") 电木板、玻璃纤维板: 2.45mm(.0965")
- Full travel(行程): 6.30(.2480")
- Spring force(弹簧压力): 200g
- Materials and finishes(材料及涂饰): Plunger: Be Cu, Rh plated; Barrel: Brass, Gold plated; Spring: Stainless steel
- Current rating(额定电流): 5A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)
- Connections(接线形式): Crimp: R125-VCR, R125-CR; Solder cup: R125-VSC, R125-SC

Noted: Specifications subject to change without notice(注: 规格变动不另行通知)



Probe specifications SF-P156(技术规格)

- Recommended minimum center(最小间距): 4.75mm(.1870")
- Mounting hole size(钻孔尺寸): 压克力: 2.75mm(.1083") 电木板、玻璃纤维板: 2.80mm(.1102")
- Full travel(行程): 6.30(.2480")
- Spring force(弹簧压力): 250g
- Materials and finishes(材料及涂饰): Plunger: Be Cu, Rh plated; Barrel: Brass, Gold plated; Spring: Stainless steel
- Current rating(额定电流): 5A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)
- Connections(接线形式): Crimp: R156-VCR, R156-CR; Solder cup: R156-VSC, R156-SC

Noted: Specifications subject to change without notice(注: 规格变动不另行通知)





1. raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection




5. Finished products



6. Packing



Measuring Equipment >



Measuring Equipment:

1. Agilent current testing;
2. Quadratic element measurement
3. Load Curve Meter
4. Bond Test
5. Life Fatigue Test

☐☐



☐☐☐☐☐☐

1. 全系列产品 PCB/ICT/FCT 测试
 2. Pogo pin 测试系统 测试系统 测试系统 测试系统
 3. BGA "测试" 测试系统
 4. 测试系统 LM QZ VZ
 5. 测试系统
 6. & 测试系统
 7. 测试系统 POM
- 测试系统

☐☐☐☐☐☐

1. "24" 测试系统 "测试" 测试
2. "测试" "OEM" 测试
3. "测试" "测试" "测试" "测试" "测试" "测试"
4. "测试" "测试" "测试" "测试" "测试"