


□□□□

□□	SFENG
□□	SF-015X43.2-□□
□□□□	□□□□□□
□□□□□	□□
□□□□□	□/□/□/□/□□□/□□/□□/□□/□□
□□□□□	1.17 □□□ 1.4 □□
□□□	2000□
□□□□	□□□□□ 3 □□□□□

□□□□□



Item no.	颜色color ( Plastic )	针杆直径(φD)	针杆长度 ( L )
SF-015	绿色Green	φ0.15	43.2
SF-025	紫色purple	φ0.25	42.6
SF-025	红色Red	φ0.25	43.2
SF-025	金色Golden	φ0.25	43.8
SF-025	橙色Orange	φ0.25	44.4
SF-025	灰色Gray	φ0.25	45.6
SF-025	白色White	φ0.25	46.7
SF-040	蓝色Blue	φ0.4	43.2
SF-060	黑色Black	φ0.6	43.2
SF-080	黄色Yellow	φ0.8	43.2
Sf-100	棕色Brown	φ1.0	43.2

□□□□



□□□□

- 1. □□□□
- 2. □□□□
- 3. □□□□□□□□
- 4. □□□□□□□□

□□□□

PCB□ICT□FCT□□□

Pogo pin 插pin pogo pin

插pin PH

插pin

插pin

插pin OK 插pin POM 插pin

插pin



1. Raw material warehouse



2. Lathe workshop



3. Assemble workshop



4. Quality inspection




5. Finished products




6. Packing

插pin



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

☐☐ & ☐☐

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.



**FAST  
DELIVERY**