

□□□□

□□	SFENG
□□□□	SF-SP2.96 * 49.5
□□	□□
□□	□□
□□	SUS
□□□1	120g@2.5mm
□□□2	450g@5.0mm
MOQ	100 □
□□□□	□□□□□7□□□□

□□□□

**SFENG**  
The China's The World's

RoHS  
QUALITY ASSURED FIRM  
ISO 9001  
SGS  
CE

Technical drawing of a pin with dimensions:  
- Total length: 49.5  
- Main body length: 33.0  
- Diameters:  $\phi 3.0$ ,  $\phi 1.90$ ,  $\phi 3.08$ ,  $\phi 2.96$ ,  $\phi 2.50$ ,  $\phi 1.50$   
- Lengths: 5.0, 5.0, 1.0, 2.0, 1.5, 2.5, 4.0

chinapogopinsupplier.com

**SFENG**  
The China's The World's



[chinapogopinsupplier.com](http://chinapogopinsupplier.com)

### 服務宗旨

1. 24小時服務熱線
2. OEM服務
3. 專業工程師提供技術支持
4. 專業工程師提供技術支持

### 產品

PCB、ICT、FCT;

各種電子元件、電線、電纜、電線、電線;

BGA;







□□□□□□□□□□LM□□QZ□VZ□□;

□□□□□□□□□□□□□□;

□□□□□;□□/□□;

□□□□□□□□□□30□OK□□□□□□□POM□□□□□□

□□□□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□□

