


□□□□

□□	SFENG
□□□□	SF-IP2.9 * 49
□□	□□
MOQ	100 □
□□□□	□□□□□7□□□□

□□□□

SFENG
The China's The World's



Technical drawing of a pin with dimensions:

- Tip diameter: $\phi 2.1^{+0.03}_0$
- Second diameter: $\phi 2.25 \pm 0.02$
- Third diameter: $\phi 2.95 \pm 0.03$
- Tip thickness: $\phi 0.5$
- Section lengths: 1, 1, 1, 4, 8.0, 8.8, 11.5, 39.5, 48.3
- Pin thickness: 0.64
- End thickness: 0.5
- End diameter: 0.4

chinapogopinsupplier.com

SFENG
The China's The World's



chinapogopinsupplier.com

服務

1. 24小時服務
2. OEM服務
3. 專業技術支持
4. 專業品質保證

產品

PCB ICT FCT;

專業品質保證; 服務;

□□□□BGA□□□□□□;







□□□□□□□□□□LM□□QZ□VZ□□;

□□□□□□□□□□□□□□;

□□□□□;□□/□□;

□□□□□□□□□□30□OK□□□□□□□□POM□□□□□□

□□□□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□□

