

□□□□ pogo pin □□□□□□□□

□□□□□□	SF□□ □□
□□□□	□□□□□
□□□□	□□□□□
□□□□	□□
□□□□	□□□□□
□□□□□□	□□, □□
□□	□□□□
□□□□□□	□□

□□“□□□





□□ □□

1. □□ □ 3□0 □ □□ □ □□ □ □□ □ □□

2. □□ □ □□ □□ □ □□ □ □□

3. □□ □ □□ □□ □ □□ □ □□

4. □□ □□ □ □□□ d □□ □ □□□

□□||□□□

Spring exhausted tester



DC power supply



Current resistance tester



Microscope




Tensile strength tester



Spring tester



□□□



□□□□

1. □□□ □□□□□PCB□ICT□FCT□□□□
  2. □□□□□□□□ □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
  3. □□□□ □□ BGA □□□□□□□□
  4. QZ□VZ□□□□□□□□□□□□□□□□LM□□
  5. □□□□□□□□□□□□□□□□
- /□□□□
- 30#OK□□□□□□□□POM□□□□□□

□□□□

□□□□ □□

□□□anna@sf-probe.com

□□□ 008651268051148-607

□□□008613815297709

□□□cyl172839

QQ:2540894051