

## Produktspezifikation

Marke	SFENG
Artikelnummer	SF-P125
Stempel	Messing oder Becu, Gold oder Nickel überzogen
Fass	Messing, Gold oder Nickel überzogen
Frühling	SK4, Stahldraht
Federkraft	200g
Vollständige Reise	6,3-mm-
Aktuelle Ration	5A
Strom Widerstand	50mΩ
Pech	2.45mm
Anschlusslochgröße	1.7mm
MOQ	100 pcs
Vorlaufzeit	7 Arbeitstagen nach Erhalt der Zahlung

## Produkt-Abbildung



## Unser Service







- 1.Reply Ihre Anfrage within 24 Arbeitsstunden
- 2.Customized Entwurf ist vorhanden, OEM sind willkommen
- 3.Delivery die Sondenstifte für unsere Kunden auf der ganzen Welt mit Geschwindigkeit und Präzision
- 4.Provide den niedrigsten Preis mit Qualität zu unseren Kunden

## Hauptartikel

- Federbelastete Pin (single) für PCB, ICT, FCT Tests, etc;
- Pogo Stift (Stecker), ein (usually temporary) Verbindung zwischen etablieren zwei Leiterplatten für charging, Ortung, Batterie, Semiconductor & amp; interconnectApplications;
- Doppel beendet probef orBGA & amp; semiconudtion Prüfung;
- Universalstift ohne Feder, coatingpin, LM pin withQZ & amp; VZseries;
- Hochstrom Sonde, Switch-Sonde, Kapazität Nadel ...
- Terminal & amp; Aufnahme / Buchse;

--- Sonstige nahe elektronischen compents, 30 # OKwire, Jig Schlösser, POM, Ironhinge, etc

## Qualitätskontrolle

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular power supply unit with a black top panel. It features a red power switch, several control knobs, and output terminals.	 A white, rectangular device with a large green digital display showing '8.88.8'. It has a control knob and a warning symbol.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment.	 A blue and white mechanical testing machine with a vertical column and a sample holder.	 A white mechanical testing machine with a vertical column and a sample holder, similar to the tensile strength tester.

## Verpackungs Picture

