


Produktspezifikation

| | |
|---------------|--|
| Marke | SFENG |
| Artikelnummer | SFM365 105 400 A8001 |
| Plunger | Messing oder Becu, Gold oder Ni vernickelt |
| Lauf | Messing, Gold oder Ni vernickelt |
| Feder | SK4, Stahldraht |
| MOQ | 100pcs |
| Vorlaufzeit | 7 Arbeitstagen nach Erhalt der Zahlung |

Produkt-Abbildung





Unser Service

1. Reply Ihre Anfrage innerhalb von 24 Arbeitsstunden
2. Customized Entwurf ist vorhanden, OEM sind willkommen
3. Delivery die Sondenstifte für unsere Kunden auf der ganzen Erde mit Geschwindigkeit und Präzision
4. Provide den niedrigsten Preis mit Qualität zu unseren Kunden

Hauptartikel

- Federbelastete Pin (single) für PCB, ICT, FCT-Tests, etc;
- Pogo Stift (Stecker), um eine (usually temporary) Verbindung zwischen etablieren zwei Leiterplatten für charging, Ortung, Batterie, Semiconductor & amp; interconnect Applications;
- Doppel beendet probe for BGA & amp; semiconductor Prüfung;
- Universalstift ohne Feder, coating pin, LM Stift with QZ & amp; VZ series;
- Hochstrom Sonde, Switch-Sonde, Kapazität Nadel ...
- Terminal & amp; Aufnahme / Buchse;
- Sonstige nahe elektronischen compents, 30 # OK wire, Jig Schlösser, POM, Ironhinge, etc

Qualitätskontrolle

| | | |
|--|--|--|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side. |  A white, rectangular device with a black top panel. The front panel features a red emergency stop button, a red power switch, and several control knobs and dials. The text 'YoRi ADJUSTABLE DC POWER SUPPLY' is visible on the top panel. |  A white, rectangular device with a large green digital display showing '8888'. It has a warning symbol and a circular dial on the right side. |
| Microscope | Tensile strength tester | Spring tester |
|  A white and black compound microscope with a large objective lens and a camera attachment on top. |  A blue and white mechanical testing machine with a vertical frame and a sample holder. |  A white and blue mechanical testing machine with a vertical frame and a sample holder, similar to the tensile strength tester. |

Verpackungs Bild

