


Product Specification

| | |
|-------------|--|
| Brand | SFENG |
| Item number | socket 1.0x3.5x0.65 mm |
| Material | Brass |
| MOQ | 100pcs |
| Lead time | 7 working days after receiving the payment |

Product Picture



Our Service

- 1.Reply your inquiry withn 24 working hours
- 2.Customized design is available,OEM are welcomed

3. Delivery the probe pins to our clients all over the world with speed and precision

4. provide the lowest price with high quality to our client

Main Products

--Spring loaded pin(single) for PCB,ICT,FCT testing,etc;

--Pogo pin(connector) to establish a(usuallytemporary)connection between two printed circuit boards for charging, locating, Battery, Semiconductor & interconnectApplications;

--Double ended probe for BGA&semiconduction testing;







--Universal pin without spring,coatingpin,LM pin withQZ&VZseries;

--High current probe,Switch probe,Capacitance needle...

--Terminal&receptacle/socket;

--Other related electronic components,30#OKwire,Jig locks,POM,Ironhinge,etc

Quality Control

| | | |
|--|--|---|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  |  |  |
| Microscope | Tensile strength tester | Spring tester |
|  |  |  |

Packing Picture

