

Produktspezifikation

Marke	SFENG
Artikelnummer	SF-GP6.0 * 37,5
Überzug	Messing; Ni-plattierten
Vorlaufzeit	7 Werktagen nach Erhalt der Zahlung

Produktbild



SF-GP Series Item



Item	Specification & Size				Drilling hole size
GP2.4	Barrel (A)	φ 2.4mm	Plunger (D)	φ 1.75mm	φ 2.40mm
GP3.2	Barrel (A)	φ 3.2mm	Plunger (D)	φ 2.50mm	φ 3.20mm
GP4.0	Barrel (A)	φ 4.0mm	Plunger (D)	φ 3.50mm	φ 4.00mm
GP5.0	Barrel (A)	φ 5.0mm	Plunger (D)	φ 4.00mm, φ 6.00mm	φ 5.00mm
GP5.2	Barrel (A)	φ 5.2mm	Plunger (D)	φ 4.00mm, φ 6.00mm	φ 5.20mm
GP6.0	Barrel (A)	φ 6.0mm	Plunger (D)	φ 5.00mm	φ 6.00mm

Unser Service

1. Wir können antworten Ihre Anfrage innerhalb von 24 Arbeitsstunden.
2. Customized Design ist vorhanden und OEM sind willkommen.
3. Wir können liefern die Taststifte zu unseren Kunden auf der ganzen Welt mit Geschwindigkeit und Präzision.
4. Wir können den niedrigsten Preis mit qualitativ hochwertiges Produkt zu unseren Kunden.

Hauptprodukte

Gefederter Stift (single) für PCB, ICT, FKT Tests etc;

Pogo-Pin (Stecker) zur Herstellung der Verbindung zwischen zwei Leiterplatten zum Aufladen, Ortung, Batterie, Semiconductor & amp; Verbindung von Anwendungen;

Das doppelseitige Sonde für BGA und Halbleiterprüfung;







Universal-Stift ohne Feder, Beschichtung Stift, LM Stift mit QZ und VZ-Serie;

Hohe Stromsonde, Switch-Sonde, Kapazität Nadel;

Terminal & amp; Aufnahme / Buchse;

Andere verwandte elektronische Komponenten, 30 # OK Draht, Jig Schlösser, POM, Eisen Scharnier usw.

Qualitätskontrolle

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular DC power supply unit with a black front panel. It features a red emergency stop button, a red power switch, and several control knobs and dials. The brand name 'YoRi' is visible on the top left.	 A white, rectangular electronic device with a large green digital display showing '8888'. It has a control knob and a power button on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment on top.	 A blue and white mechanical testing machine with a vertical column and a sample holder.	 A white and blue mechanical testing machine with a vertical column and a sample holder, similar to the tensile strength tester.

Verpackung Bild

