


Produktspezifikation

Marke	SFENG
Artikelnummer	Schalter Taststiftes
Überzug	Ni-plattiert oder vergoldet
Vorlaufzeit	7 Werktagen nach Erhalt der Zahlung

Produktbild



Das doppelseitige Sonde für BGA und Halbleiterprüfung;


Universal-Stift ohne Feder, Beschichtung Stift, LM Stift mit QZ und VZ-Serie;

Hohe Stromsonde, Switch-Sonde, Kapazität Nadel;

Terminal & amp; Aufnahme / Buchse;

Andere verwandte elektronische Komponenten, 30 # OK Draht, Jig Schlösser, POM, Eisen Scharnier usw.

Qualitätskontrolle

Spring exhausted tester	DC power supply	Current resistance tester
 A large, white, industrial-grade cabinet with a glass door, likely used for testing springs under vacuum or controlled atmosphere.	 A white, rectangular DC power supply unit with a black front panel. It features a red emergency stop button, a power switch, and several output terminals.	 A white electronic device with a large green digital display showing '8888'. It has a control knob and a power button on the front panel.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital camera attachment, used for inspecting small components.	 A blue and white mechanical testing machine used for measuring the tensile strength of materials.	 A white mechanical testing machine with a digital display, used for testing the properties of springs.

Verpackung Bild

