

## Produktspezifikation

Marke	SFENG
Artikelnummer	SF-PH-1
Stempel	Phosphorbronze
Fass	Phosphorbronze
Frühling	SUS oder Musik Draht
Federkraft	100g
Vollständige Reise	3.5
Aktuelle Ration	3A
Strom Widerstand	50mW
Pech	1.70
Anschlusslochgröße	1.0 / 1.05
MOQ	100 pcs
Vorlaufzeit	7 Arbeitstagen nach Erhalt der Zahlung

## Produkt-Abbildung



## Unser Service

1. Wir können antworten Ihrer Anfrage innerhalb von 24 Arbeitsstunden.
2. Kunden Entwurf ist vorhanden und OEM sind willkommen.
3. Wir können liefern die Sondenstifte für unsere Kunden auf der ganzen Welt mit Geschwindigkeit und Präzision.
4. Wir können liefern der niedrigste Preis mit qualitativ hochwertiges Produkt für unsere Kunden.

## Hauptartikel

Gefederter Stift (single) für PCB, ICT, FCT Test etc;

Pogo-Pin (Stecker), um die Verbindung zwischen zwei Leiterplatten für die Aufladung zu schaffen, Ortung, Batterie, Semiconductor & amp; Interconnect-Anwendungen;

Doppelseitige Sonde für BGA und Halbleitertestausrüstung;

Universal-Pin ohne Feder, Stift Beschichtung, LM Stift mit QZ und VZ-Serie;

Hochstrom-Sonde, Switch-Sonde, Kapazität Nadel;

Terminal & amp; Aufnahme / Buchse;

Andere elektronische Komponenten, 30 # OK Draht, Jig Schlösser, POM, Eisen Scharnier etc

## Qualitätskontrolle

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular DC power supply unit with a black front panel. It features a red power switch, several control knobs, and output terminals. The text 'YoRI ADJUSTABLE DC POWER SUPPLY MODEL: 40V 2.0A 50W' is visible on the panel.	 A white, rectangular electronic device with a large green digital display showing '8.8.8.8'. It has a 'BLINK' indicator and a 'BEEP' button. The text 'DIGITAL RESISTANCE TESTER' and 'OVERSHOOT PROTECT' are visible on the front panel.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment on top.	 A blue and white tensile strength tester with a vertical column and a sample holder.	 A white spring tester with a digital display and a control panel, used for testing the force of springs.

## Verpackungs Picture

