

Chirurgischer Pogo-Stift SF-PA5.8 von 36-J / M3

Spezifikation

Artikel Name	Chirurgischer Pogo-Stift SF-PA5.8 von 36-J / M3
Material und Oberflächen	Kolben: Messing, vergoldet über vernickelt; Lauf: Messing, vergoldet über vernickelt; Feder: Edelstahl;
Federkraft	400 g
Führen Zeit	3-10 Tage
Sendung	DHL / TNT / UPS / FEDEX

EW/r-9EX8-SVd-JS

Materials (Plated) (材質與鍍層):
 Barrel (針套) : Brass (黃銅) , Au on Ni Plated
 Plunger (針軸) : Brass (黃銅) , Au on Ni Plated
 Spring (彈弓) : SUS304 (不鏽鋼) , /

Specifications (技術要求):
 Contact Resistance (接觸電阻) : 50mΩ
 Full Stroke (滿行程) : 10mm
 Spring Force (額定彈力) : 400±10%gf@ load 10mm

				名稱	SF-PA5.8X36-J/M3		胜峰探针	
				说明:	1、所有尺寸的单位为mm 2、未注图示尺寸公差: 按GB1804-79 11级精度执行。			
标记	页数	更改文件号	签字	日期	图样标记	质量比例		
设计			标准化		S A	4:1		
校对			审定					
审核			制图	徐松孟				
工艺			日期	2016.10.07	共 1 页	第 1 页		



SFENG Sondenfabrik Einführung

Suzhou Shengyifurui Electronic Technology Co., Ltd. ist spezialisiert auf die Federsonde und den Pogo-Stift mit hoher Qualität, niedrigem Preis und schneller Lieferung. Wir haben unsere eigene Marke, wir widmen uns immer dem Erreichen internationaler Standards, unser Unternehmen hat die Qualität ISO9001-2008 bestanden Die Zertifizierung des Managements und unsere Produkte sind von RoHs qualifiziert.

Qualitätsprüfgeräte

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, rectangular cabinet with a glass door on the upper half and a solid door on the lower half. It is positioned in a room with a window in the background.	 A white, rectangular power supply unit with a black front panel. It features a red power switch, several control knobs, and output terminals. The text "YoRI ADJUSTABLE DC POWER SUPPLY MODEL: SPN-20A-3000" is visible on the panel.	 A white, rectangular device with a large green digital display showing "8.88.8". It has a "WARNING" symbol and a "DC" label. The text "EXTENSIVE PROTECT" is visible at the bottom.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment on top. It is placed on a wooden desk.	 A blue and white mechanical testing machine with a vertical column and a sample holder. It is located in a laboratory setting.	 A white mechanical testing machine with a digital display and a control panel. It is used for testing springs and is placed on a wooden desk.

Verpackung

