

Especificación

Ít Nombre	Conectores de contacto de pin de pogo con resorte de corriente 3A SF-PPA5.8 * 36-J / M3
Material y acabados.	Émbolo: Latón, chapado en oro sobre níquelado; Barril: Latón, chapado en oro sobre níquelado; Resorte: acero inoxidable;
Fuerza de la primavera	400g
Dirigir hora	3-10 dias
Envío	DHL / TNT / UPS / FEDEX

EW/f-9EX8-SM4-JS

Materials (Plated) (材質與鍍層):
 Barrel (針套) : Brass (黃銅) , Au on Ni Plated
 Plunger (針軸) : Brass (黃銅) , Au on Ni Plated
 Spring (彈弓) : SUS304 (不鏽鋼) , /

Specifications (技術要求):
 Contact Resistance (接觸電阻) : 50mΩ
 Full Stroke (滿行程) : 10mm
 Spring Force (額定彈力) : 400±10%gf@ load 10mm







				名稱		胜峰探针	
				SF-PA5.8X36-J/M3		说明: 1、所有尺寸的单位为mm 2、未注图示尺寸公差: 按GB1804-79 11级精度执行。	
标记	页数	更改文件号	签字	日期	图样标记	质量比例	
设计			标准化		S A	4:1	
校对			审定				
审核			制图	徐松孟			
工艺			日期	2016.10.07	共 1 页	第 1 页	



SFENG Fábrica de sondas Introducción

Suzhou Shengyifurui Electronic Technology Co., Ltd se especializa en la sonda de primavera y el pogo pin de alta calidad, bajo precio y entrega rápida. Tenemos nuestra propia marca, siempre nos dedicamos a lograr estándares internacionales, nuestra empresa ha aprobado la norma ISO9001- La certificación de gestión de calidad de 2008 y nuestros productos están calificados de RoHs.

Equipo de prueba de calidad

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the upper half and a control panel on the right side.	 A white, rectangular device with a black front panel. It features a red power switch, several knobs, and output terminals. The text "YoRI ADJUSTABLE DC POWER SUPPLY" is visible on the panel.	 A white, rectangular device with a large green digital display showing "8.88.8". It has a "WIRE PROBE" warning symbol and a "VOLTAGE" knob on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment on top.	 A blue and white machine with a vertical column and a horizontal arm, used for testing the tensile strength of materials.	 A white machine with a digital display and a control panel, used for testing the properties of springs.

embalaje

