

Sonda de prueba de 50 mils para PCB / ICT

Material y acabados.

Émbolo: Bronce o Latón o BeCu, chapado en oro o niquelado;

Barril: Latón, chapado en oro o niquelado;

Resorte: acero inoxidable o hilo musical;

Imágenes

- Cualquier consejo, podríamos proporcionarle
- Si usted está interesado en ello, por favor póngase en contacto conmigo



SF-P020

Probe specifications SF-P020 (技术规格)

- Recommended minimum center (最小间距): 1.0mm (.0394")
- Mounting hole size (钻孔尺寸): 0.75mm (.0295")
- Full travel (行程): 2.0(.0787")
- Spring force (弹簧压力): 80g(克)
- Materials and finishes (材料及涂饰): Plunger:SK4,Rh plated; Barrel:Phosphor bronze,Gold plated; Spring:Music wire,Gold plated
- Current rating(额定电流): 1A(安培)
- Contact resistance(接触电阻): 120mΩ(毫欧姆)

Receptacle specifications
Materials and finishes: Phosphor bronze, Gold plated

SF-P50

Probe specifications SF-P50 (技术规格)

- Recommended minimum center (最小间距): 1.27mm (.0500")
- Mounting hole size (钻孔尺寸): V: 0.90mm (.0354") W: 0.95mm (.0374")
- Full travel (行程): 2.5(.0984")
- Spring force (弹簧压力): 100g
- Materials and finishes (材料及涂饰): Plunger:Be,Cu,Rh plated; SK4,Rh plated; Barrel:Phosphor bronze,Gold plated; Spring:Stainless steel
- Current rating(额定电流): 1.5A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)

Noted: Specifications subject to change without notice(注: 规格变动不另行通知)

Nuestras ventajas

1. tenemos 30 años de experiencia en pin de sonda y tenemos fábrica de nosotros mismos.
2. proporcionamos muestras gratis y tenemos un departamento de pruebas.
3. podríamos fabricar productos como su petición.
4. garantizamos el mejor precio y buen servicio.

Nuestro producto principal

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Control de equipos de prueba

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Paquete

