

Especificaciones del producto

Marca	SFENG
Número de artículo	SF-P75
Enchapado	Ni-platedo o enchapado en oro
Tiempo de espera	7 días laborables después de recibir el pago

Imagen del producto





Nuestro servicio

1. Podemos contestar su consulta dentro de 24 horas de trabajo.
2. modificado para requisitos particulares diseño está disponible y OEM son bienvenidas.
3. Podemos entregar las agujas del detector a nuestros clientes en todo el mundo con rapidez y precisión.
4. Podemos proporcionar el precio más bajo con el producto de alta calidad a nuestros clientes.

Productos principales

perno con resorte (individual) de PCB, las TIC, las pruebas de FCT, etc;

pogo pin (conector) para establecer la conexión entre dos placas de circuito impreso para la carga, fijo, una batería, Semiconductor & amp; aplicaciones de interconexión;

sonda de doble extremo para BGA y pruebas de semiconductores;

pin universal sin resorte, pasador de recubrimiento, el pasador de LM con QZ y la serie VZ;

Alta sonda de corriente, sonda de interruptor, la aguja de la capacitancia;

Terminal & amp; receptáculo / enchufe;

Otros componentes electrónicos relacionados, # 30 OK alambre, cerraduras Jig, POM, Plancha bisagra etc.

Control de calidad







Spring exhausted tester	DC power supply	Current resistance tester
 A large, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular DC power supply unit with a black front panel. It features a red power switch, several output terminals, and a digital display.	 A white, rectangular electronic device with a large green digital display showing '8888'. It has a control knob and several indicator lights.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a stage.	 A blue and white mechanical testing machine with a vertical column and a sample holder.	 A white and blue mechanical testing machine with a vertical column and a sample holder, similar to the tensile strength tester.

Imagen del embalaje

