

## Especificaciones Del Producto

Marca	SFENG
Número de artículo	SF-P100
Émbolo	Latón o Becu, oro o Ni chapado
Barril	Latón, oro o Ni plateado
Primavera	SK4, alambre de la música
Primavera Fuerza	200g
Viaje completo	6.4mm
Ración actual	3A
Resistencia actual	50M
Brea	2.54mm
Tamaño del orificio de montaje	1.7mm
MOQ	100 PC
Tiempo de espera	7 días laborables después de recibir el pago

## Imagen del producto



## Nuestro Servicio

1. Reply su consulta withn 24 horas de trabajo
2. Customized diseño está disponible, OEM son bienvenidos
3. Delivery las clavijas de la sonda a nuestros clientes de todo el mundo con velocidad y precisión
4. Provide el precio bajo con alta calidad para nuestros clientes

## Productos Principales

- Cargado de primavera pin (individual) de PCB, las TIC, las pruebas de FCT, etc;
- Pogo pin (conector) para establecer una conexión (usually temporary) entre dos tarjetas de circuitos impresos para charging, localización, batería, Semiconductor & amp; interconnect Applications;
- Terminó Doble probef or BGA & amp; semiconudtion pruebas;
- Pin universal sin muelle, coating pin, LM pin with QZ & amp; VZ series;
- Alta corriente sonda, sonda de interruptor, la aguja de la capacitancia ...
- Terminal & amp; receptáculo / zócalo;
- Otros relacionados compents electrónicos, 30 esclusas # OKwire, Jig, POM, Ironhinge, etc.

## Control De Calidad

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door on the upper half and a solid door on the lower half. It is located in a laboratory setting.	 A white, rectangular benchtop power supply. The front panel features a red power switch, a red output terminal, a black output terminal, and a blue output terminal. The brand name 'YoRi' and 'ADJUSTABLE DC POWER SUPPLY' are visible on the top panel.	 A white benchtop instrument with a large green digital display showing '8.8.8.8'. It has a 'BLIND TEST' warning symbol and a 'VOLT' label. The brand name 'YOYI' is visible on the top panel.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a camera attachment on top. It is placed on a wooden table.	 A blue and white tensile testing machine with a vertical column and a sample holder. It is located in a laboratory.	 A white spring testing machine with a digital display and a control panel. It is placed on a wooden table.

Imagen del embalaje

