Resorte de prueba BGA Probe Double Head Spring Loaded Pogo Pin

Especificación:

Marca	SFENG SONDA
ít Número	Pin doble pogo cabeza SF031U330U30
Émbolo	Becu
Barril	PhBz
Primavera	SWP
Enchapado	oro chapado terminado níquel
Primavera fuerza	30 g o personalizado
Contacto Resistencia	□ 50m ohm
Corriente ración	1A
MOQ	100 UNIDS Si nosotros tener valores
Dirigir hora	2-15days después recepción la pago

Demostración de la imagen:

SFENG
The China's The World's



Nuestras ventajas:

1.we have 30 years experience in probe pin and have ourself factory.

2.we provide free sample and have a testing depa rtment.

3.we could manufacture products as your request.

4.we guarantee best price and good service.

Nuestro producto principal:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semic onductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ a nd VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig loc ks, POM, Iron hinge etc

Equipo de pruebas:

Spring exhausted tester	DC power supply	Current resistance tester
Microscope	**Tensile strength tester**	**Spring tester**

Paquete: