

Especificaciones Del Producto

Marca	SFENG
Número de artículo	SF-POM 6 * 30 puntos M3
Material	POM de Rod
MOQ	100 PC
Tiempo de espera	7 días laborables después de recibir el pago

Imagen Del Producto



SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com

Nuestro Servicio

1. Podemos contestar su consulta dentro de 24 horas de trabajo.
2. modificado para requisitos particulares diseño está disponible y OEM son bienvenidos.
3. Podemos entregar las clavijas de la sonda a nuestros clientes en todo el mundo con velocidad y precisión.
4. Podemos proporcionar el precio más bajo con el producto de alta calidad a nuestros clientes .

Productos Principales

Pasador de resorte cargado (individual) de PCB, las TIC, las pruebas FCT etc;

Pin Pogo (conector) para establecer la conexión entre dos placas de circuito impreso para la carga, localización, batería, Semiconductor & amp; Aplicaciones de interconexión;

Sonda de doble punta para BGA y prueba de semiconductores;

Pin universal sin muelle, pin recubrimiento, pin LM con QZ y la serie VZ;

Alta sonda de corriente, sonda de interruptor, la aguja de la capacitancia;

Terminal & amp; receptáculo / zócalo;

Otros componentes electrónicos relacionados, 30 # alambre bien, cerraduras Jig, POM, Plancha bisagra etc.

Control De Calidad

Spring exhausted tester	DC power supply	Current resistance tester
 A large, white, industrial-grade cabinet with a glass door, likely used for testing springs under vacuum or controlled atmosphere.	 A white YoRi adjustable DC power supply with a digital display and various control knobs and switches.	 A white digital current resistance tester with a large green LED display showing '8888' and a 'BLDN PRG' warning symbol.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital camera attachment, used for inspecting small components.	 A blue and white tensile strength tester with a vertical column and a sample holder, used for measuring the strength of materials.	 A white spring tester with a digital display and a mechanical arm, used for testing the properties of springs.

Imagen del embalaje

