Sonde à ressort de 100 mil pour le test de PCB

Matériel et finitions
Plongeur: bronze ou laiton ou BeCu, plaqué or ou nickel;
Corps: laiton, plaqué or ou nickelé;
Ressort: acier inoxydable ou fil de musique;

Des photos

• Tous les conseils que nous pourrions vous fournir
• Si cela vous intéresse, merci de me contacter



Nos avantages

1.nous avons 30 ans d'expérience dans la broche de la sonde et avons nous-mêmes l'usine.
2. nous fournissons un échantillon gratuit et avons un département de test.
3. nous pourrions fabriquer des produits en tant que votre demande.
4. nous garantissons le meilleur prix et un bon service.

Notre produit principal

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semic onductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ a nd VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig loc ks, POM, Iron hinge etc

Contrôle de l'équipement d'essai

Spring exhausted tester	DC power supply	Current resistance tester
Microscope	Tensile strength tester	Spring tester

Paquet

胜蜂电子