

## Product Specification

|                    |  |
|--------------------|--|
| Brand              | SFENG                                      |
| Item number        | SF-P156                                    |
| Plunger            | Brass or Becu,gold or Ni plated            |
| Barrel             | Brass,gold or Ni plated                    |
| Spring             | SK4,music wire                             |
| Spring Force       | 250g                                       |
| Full Travel        | 6.3mm                                      |
| Current Ration     | 5A   |
| Current Resistance | 50mΩ                                       |
| Pitch              | 4.75mm                                     |
| Mounting hole size | 2.75mm                                     |
| MOQ                | 100 pcs                                    |
| Lead time          | 7 working days after receiving the payment |

## Product Picture

**SFENG**  
The China's The World's



[WWW.SF-PROBE.COM](http://WWW.SF-PROBE.COM)

#### Our Service







- 1.Reply your inquiry withn 24 working hours
- 2.Customized design is available,OEM are welcomed
- 3.Delivery the probe pins to our clients all over the world with speed and precision
- 4.provide the lowest price with high quality to our client

#### Main Products

- Spring loaded pin(single) for PCB,ICT,FCT testing,etc;
- Pogo pin(connector) to establish a(usuallytemporary)connection between two printed circuit boards for charing, locating, Battery, Semiconductor & interconnectApplications;

- Double ended probef orBGA&semiconudtion testing;
- Universal pin without spring,coatingpin,LM pin withQZ&VZseries;
- High current probe,Switch probe,Capacitance needle...
- Terminal&receptacle/socket;
- Other related electronic compents,30#OKwire,Jig locks,POM,Ironhinge,etc

Quality Control

|   |   |  |
|---|---|--|
| Spring exhausted tester   | DC power supply   | Current resistance tester  |
|   |   |   |
| Microscope  | Tensile strength tester   | Spring tester  |
|  |  |  |

Packing Picture

