Test de PCB Pointe de test à pointe pointue SF-PA100-B

Matériau et finitions
Piston: bronze ou laiton ou BeCu, plaqué or ou nickelé;
Canon: laiton, plaqué or ou nickelé;
Ressort: fil d'acier inoxydable ou de musique;

Des photos

• Tous les conseils, nous pourrions vous fournir
• Si vous êtes intéressé, contactez-moi



Nos avantages

1.nous avons 30 ans d'expérience dans la broche de sonde et avons nous-mêmes l'usine.
2. nous fournissons un échantillon gratuit et avons un département de test.
3. nous pourrions fabriquer des produits en tant que votre demande.
4.nous garantissons le meilleur prix et un bon service.

Notre produit principal

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semic onductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ a nd VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig loc ks, POM, Iron hinge etc

Contrôle de l'équipement de test

Spring exhausted tester	DC power supply	Current resistance tester
Microscope	**Tensile strength tester**	**Spring tester**

Paquet