


Spécification de produit

Code de l'article	SF3028
Matériel	Piston:C3604 Corps : Laiton, PEEK Printemps : SUS304
Force du ressort	470g
Recommandé Course	6,6 mm
Ration actuelle	10A
Résistance	□10mΩ

Dessin du produit



Notre service

1. Répondez à votre demande dans les 24 heures ouvrables
2. Une conception personnalisée est disponible, les OEM sont les bienvenus
3. Livraison des broches de sonde à nos clients du monde entier avec rapidité et précision
4. fournir le prix le plus bas avec une haute qualité à notre client

Principaux produits

---Broche à ressort (simple) pour les tests PCB, TIC, FCT, etc.

--- Broche Pogo (connecteur) pour établir une connexion (généralement temporaire) entre deux cartes de circuits imprimés pour le chargement, la localisation, la batterie, le semi-conducteur et interconnecterApplications ;

---Test de sonde à double extrémité ou BGA&semiconudtion ;

--- Goupille universelle sans ressort, goupille de revêtement, goupille LM avec séries QZ et VZ ;

---Sonde à courant élevé, sonde de commutation, aiguille de capacité...

---Terminal et prise/prise ;

---Autres composants électroniques connexes, 30 # OKwire, verrous de gabarit, POM, Ironhinge, etc.

Contrôle de qualité







Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular DC power supply unit with a black front panel. It features a red emergency stop button, a red power switch, and several output terminals.	 A white, rectangular electronic device with a large green digital display showing '8888'. It has a warning symbol and a circular port on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital display on top, mounted on a black base.	 A blue and white mechanical testing machine with a vertical column and a sample holder.	 A white mechanical testing machine with a digital display and a control panel, used for testing springs.

Photo d'emballage



Usine Image

