

Broche chirurgicale Pogo SF-PA5.8 par 36-J / M3

spécification

Article Nom	Broche chirurgicale Pogo SF-PA5.8 par 36-J / M3
Matériau et finitions	Piston: laiton, plaqué or sur nickelé; Canon: laiton, plaqué or sur nickelé; Ressort: acier inoxydable;
Force de ressort	400g
Conduire temps	3-10 journées
Expédition	DHL / TNT / UPS / FEDEX

EW/r-9EX8-SVd-JS

Materials (Plated) (材質與鍍層):
 Barrel (針套) : Brass (黃銅) , Au on Ni Plated
 Plunger (針軸) : Brass (黃銅) , Au on Ni Plated
 Spring (彈弓) : SUS304 (不鏽鋼) , /

Specifications (技術要求):
 Contact Resistance (接觸電阻) : 50mΩ
 Full Stroke (滿沖程) : 10mm
 Spring Force (額定彈力) : 400±10%gf@ load 10mm







				名稱	勝峰探針	
				SF-PA5.8X36-J/M3		說明: 1、所有尺寸的单位为mm 2、未注图示尺寸公差: 按GB1804-79 11级精度执行。
标记	页数	更改文件号	签字	日期		
设计			标准化		图样标记	质量比例
校对			审定		S A	4:1
审核			制图	徐松孟		
工艺			日期	2016.10.07	共 1 页	第 1 页



SFENG Usine de sondes introduction

Suzhou Shengyifurui Electronic Technology Co., Ltd est spécialisée dans la sonde à ressort et la broche pogo de haute qualité, à bas prix et à livraison rapide. Nous avons notre propre marque, nous nous consacrons toujours à atteindre les normes internationales, notre entreprise a passé la qualité ISO9001-2008 la certification des gestions et nos produits sont qualifiés de RoHs.

Équipement de test de qualité

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the upper half and a control panel on the right side.	 A white, rectangular device with a black front panel. It features a red power switch, several knobs, and output terminals. The text "YoRI ADJUSTABLE DC POWER SUPPLY" is visible on the panel.	 A white, rectangular device with a digital display showing "8.88.8". It has a warning symbol and a "VOLTAGE" label. The text "EXTENSIVE PHYSICS" is visible at the bottom.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a large objective lens and a stage.	 A blue and white machine with a vertical column and a sample holder, used for testing the tensile strength of materials.	 A white machine with a digital display and a control panel, used for testing the properties of springs.

Emballage

