Product Specification

| FENG F-P50 rass or Becu,gold or Ni plated |
|---|
| |
| cass or Becu,gold or Ni plated |
| |
| rass,gold or Ni plated |
| K4,music wire |
| 00g |
| 5mm |
| 5A |
| OmΩ |
| 27mm |
| 9mm |
| 00 pcs |
| working days after receiving the payment |
| |

Product Picture



Our Service

- 1. Reply your inquiry withn 24 working hours
- 2.Customized design is available,OEM are welcomed
- 3.Delivery the probe pins to our clients all over the world with speed and precision
- 4.provide the lowest price with high quality to our client

Main Products

- ---Spring loaded pin(single) for PCB,ICT,FCT testing,etc;
- ---Pogo pin(connector) to establish a(usuallytemporary)connection between
- two printed circuit boards for charing, locating, Battery, Semiconductor &
- interconnectApplications;

- ---Double ended probef orBGA&semiconudtion testing;
- ---Universal pin without spring, coatingpin, LM pin with QZ&VZ series;
- ---High current probe,Switch probe,Capacitance needle...
- ---Terminal&receptacle/socket;
- ---Other related electronic compents,30#OKwire,Jig locks,POM,Ironhinge,etc

Quality Control

| Spring exhausted tester | DC power supply | Current resistance tester |
|-------------------------|-------------------------|---------------------------|
| | | |
| Microscope | Tensile strength tester | Spring tester |
| | | |

Packing Picture

