


## Product Specification

Brand	SFENG
Item number	SF-PH420*4850-H
Plunger	Becu,Au on Ni plated
Barrel	Brass, Au on Ni plated
Spring	SUS
Spring Force	730g±100g
Current Rating	15A
Contact Resistance	20mΩ
MOQ	100 pcs
Lead time	7 working days after receiving the payment

## Product Picture



## Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

## Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

## Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, cabinet-style machine with a glass door on the left side, likely used for testing spring fatigue.	 A white, rectangular device with a black front panel. It features a red power switch, several control knobs, and output terminals. The brand name 'YoRi' is visible on the top left.	 A white, rectangular device with a large green digital display showing '8.8.8.8'. It has a control knob and a warning symbol on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital display on top, used for inspecting small components.	 A blue and white machine with a vertical column and a horizontal arm, used for testing the tensile strength of materials.	 A white machine with a digital display and a control panel, used for testing the properties of springs.

## Packing Picture

