

Pogo Pin SF-PPA9.0*29-G


Product Specification

Brand	SFENG
Item number	Pogo Pin SF-PPA9.0*29-G
Material	Brass
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture

SFENG
The China's The World's





Material:
 Barrel: Brass, Ni Plated
 Plunger : Brass, Au on Ni plated
 Spring : SUS

Specifications:

Current Rating : 10A
 Full stroke: 6mm
 Rated stroke : 4mm
 Spring force: 320 +/-10% @load 4mm.

Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

Packing Picture

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.

