

Specification:


Brand	SF-GP
Plunger	Cu with Ni plated,Fe
Barrel	Cu with Ni plated,Fe
Spring	SUS
MOQ	100
Payment	T/T,Paypal

Picture:





**Product drawing:**



型号	规格		尺寸		钻孔尺寸
GP2.4	外套(A)	φ 2.4mm	头部(D)	φ 1.75mm	φ 2.40mm
GP3.2	外套(A)	φ 3.2mm	头部(D)	φ 2.50mm	φ 3.20mm
GP4.0	外套(A)	φ 4.0mm	头部(D)	φ 3.50mm	φ 4.00mm
GP5.0	外套(A)	φ 5.0mm	头部(D)	φ 4.00mm, φ 6.00mm	φ 5.00mm
GP5.2	外套(A)	φ 5.2mm	头部(D)	φ 4.00mm, φ 6.00mm	φ 5.20mm
GP6.0	外套(A)	φ 6.0mm	头部(D)	φ 5.00mm	φ 6.00mm







## Our factory:




## Our advantage:

1. we have 30 years experience in probe pin and pogo pin.
2. We can provide samples and testing report.
3. We can customized products according to your drawing.
4. We guaranteen the good price and service.

## Test Equipment:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

**Package**



**Shipping**

