


Double Head contact Pogo Pin Connector

Specification:

Brand	SFENG PROBE
Item Number	Double head pogo pin SFGB026B1230B15
Plunger	SK4F
Barrel	PhBz
Spring	SWP
Plating	gold plated over nickel
Spring force	11
Contact Resistance	300m ohm
Cycle time	100,000times
MOQ	100PCS if we have stock
Lead time	2-15days after receiving the payment



Picture Show:

SFENG
The China's The World's



Our Advantages:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Our Main Product:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Testing Equipment:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Package:

