

## Product Specification

|                |   |
|----------------|---|
| Mark           | SFENG                                   |
| Article number | SF-GP                                   |
| Plating        | Ni-plated or gold plated                |
| Lead time      | 7 working days after receipt of payment |

## Product Image



The image displays three sleek, silver-colored pens arranged diagonally on a white background. Above the pens, the SFENG logo is prominently featured, accompanied by the tagline "The China's The World's". To the right of the logo are three certification marks: a green leaf symbol for RoHS, a circular seal for ISO 9001 Quality Assured Firm by SGS, and the CE mark. At the bottom of the image, the website address [www.chinapogopinsupplier.com](http://www.chinapogopinsupplier.com) is displayed in white text on a blue background.

**SFENG**  
The China's The World's



[www.chinapogopinsupplier.com](http://www.chinapogopinsupplier.com)

# SFENG

The China's The World's



[www.chinapogopinsupplier.com](http://www.chinapogopinsupplier.com)

## **Our service**

1. We can answer your request within 24 hours.
2. custom Design is available and OEM are welcome.
3. We can deliver the probe pins to our customers all over the world with speed and precision.
4. We can provide the lowest price with high quality products to our customers.

## **main products**

spring pin (single) for PCBs, ICT, FCT testing etc;

Pogo pin (connector) to establish the connection between the two circuit boards for loading, location, battery, Semiconductor & amp; amp; interconnect applications;

double ended probe for BGA and semiconductor testing;






Universal pin without spring coat pin, pin LM with QZ and VZ series;

High current probe, Switch probe needle capacitance;

Terminal & amp; amp; receptacle / plug;

Other related electronic components, wire # 30 OK, Jig locks, POM, hinge iron etc.

## Quality control

|   |   |  |
|---|---|--|
| Spring exhausted tester   | DC power supply   | Current resistance tester  |
|   |   |   |
| Microscope  | Tensile strength tester   | Spring tester  |
|  |  |  |

## Packing Photo

