


customized size of pogo pin connector SF-PPA2.0*14.5-J

| | |
|----------------|--|
| Item | SF-PPA2.0*14.5-J |
| Plunger | Brass with gold plated |
| Barrel | Brass with gold plated |
| Spring | stainless steel or music wire |
| Current ration | 3A |
| MOQ | 1000 |
| Package | 100pcs in a polybag or as your request |
| Shipping time | within 7 working days |

pogo pin drawing



pogo pin picture

SFENG
The China's The World's



chinapogopinsupplier.com

Factory & company



Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

BGA test probe pin and Semiconductor testing;

Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Equipment control

Spring exhausted tester



DC power supply



Current resistance tester



Microscope




Tensile strength tester



Spring tester



Package



Shipping

