


Product Specification

Brand	SFENG
Item number	SF-PPA9.0*29
Plunger	Brass
Barrel	Brass
Spring	Music wire
Current Rating	10A
Full Travel	6.0mm
Rated Stroke	4.0mm
MOQ	100 pcs
Lead time	7 working days after receiving the payment

Product Picture



Our Service

1. We can reply your inquiry within 24 working hours.
2. Customized design is available and OEM are welcomed.
3. We can deliver the probe pins to our clients all over the world with speed and precision.
4. We can provide the lowest price with high quality product to our client .

Main Products

Spring loaded pin (single) for PCB, ICT, FCT testing etc;

Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;

Double ended probe for BGA and Semiconductor testing;







Universal pin without spring, coating pin, LM pin with QZ and VZ series;

High current probe, Switch probe, Capacitance needle;

Terminal & receptacle /socket;

Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Quality Control

Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white industrial machine with a glass door, likely used for testing spring components.	 A white YoRi adjustable DC power supply unit with a digital display and various control knobs and buttons.	 A white electronic device with a large green digital display showing '8888' and several control buttons.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope on a wooden desk.	 A blue and white mechanical testing machine used for measuring tensile strength.	 A white mechanical testing machine with a digital display, used for testing springs.

Packing Picture

