

## Sonda a molla da 100 mil per test PCB

### Materiale e finiture

Stantuffo: bronzo o ottone o BeCu, placcato in oro o nichelato;

Canna: ottone, placcato in oro o nichelato;


Primavera: acciaio inossidabile o filo musicale;

### Immagini

- Eventuali suggerimenti, potremmo fornire per voi
- Se ti interessa, contattami




## SF-P100




SF-P100-E

### Probe specifications SF-P100(技术规格)

- Recommended minimum center(最小间距): 2.54mm(1000")
- Mounting hole size(钻孔尺寸): 压克力: 1.70mm(0670") 电木板、玻璃纤维板: 1.75mm(0689")
- Full travel(行程): 6.40(2520")
- Spring force(弹簧压力): 200g
- Materials and finishes(材料及涂饰): Plunger: Be Cu, Rh plated; SK4, Rh plated Barrel: Brass, Gold plated Spring: Stainless steel
- Current rating(额定电流): 3A(安培)
- Contact resistance(接触电阻): 50mΩ(毫欧姆)



## SF-R100



### Probe specifications SF-R100(技术规格)

- Recommended minimum center(最小间距): 2.54mm(1000")
- Mounting hole size(钻孔尺寸): 压克力: 1.70mm(0670") 电木板、玻璃纤维板: 1.75mm(0689")
- Materials and finishes(材料及涂饰): Barrel: Brass, Gold plated
- Connections(接线形式): Crimp: R100-VCR2.5, R100-CR Solder cup: R100-VSC2.5, R100-SC Wire wrap: R100-VW2.5, R100-WW, R100-WW(双环2.5), R100-WW(双环)
- Terminal: R100-VW2.5(T), R100-WW双环2.5(T), R100-WW双环5.0(T), R100-WW双环(T)

## I nostri vantaggi

1. abbiamo 30 anni di esperienza in pin sonda e abbiamo noi stessi fabbrica.
2. forniamo campione gratuito e abbiamo un reparto di test.
3. potremmo fabbricare prodotti come vostra richiesta.
4. garantiamo il miglior prezzo e un buon servizio

## Il nostro prodotto principale

Spring loaded pin (single) for PCB, ICT, FCT testing etc;  
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;  
Double ended probe for BGA and Semiconductor testing;  
Universal pin without spring, coating pin, LM pin with QZ and VZ series;  
High current probe, Switch probe, Capacitance needle;  
Terminal & receptacle /socket;  
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

**Controllo delle apparecchiature di prova**

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Pacchetto

