


## Perno doppio attacco da 5,7 mm di lunghezza per BGA

Specifica:

Marca	SFENG SONDA
Articolo Numero	Perno doppio attacco da 5,7 mm di lunghezza per BGA SF038B570B33
tuffatore	Becu
barile	PhBz
Primavera	SWP
Placcatura	oro plated al di sopra di nichel
Primavera vigore	35g $\pm$ 20%
Contatto Resistenza	<50m ohm
Corsa completa	1,1 millimetri
MOQ	100PCS Se noi avere azione
Condurre tempo	2-15days dopo ricevente il pagamento

Immagine Mostrare:











I nostri vantaggi:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Il nostro prodotto principale:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;  
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;  
Double ended probe for BGA and Semiconductor testing;  
Universal pin without spring, coating pin, LM pin with QZ and VZ series;  
High current probe, Switch probe, Capacitance needle;  
Terminal & receptacle /socket;  
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Apparecchiature di collaudo:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Pacchetto:

