

Specifiche di prodotto

| | |
|-------------------|---|
| Marca | SFENG |
| Codice articolo | SF-PPA2.0X10.1-D |
| Stantuffo | Ottone, placcato oro |
| Barile | Ottone, placcato oro |
| Attuale | 150A |
| MOQ | 100 pezzi |
| Tempi di consegna | 7 giorni lavorativi dopo aver ricevuto il pagamento |

Prodotto Disegno





Immagine del prodotto



Nostro servizio

1. Possiamo rispondere alla tua richiesta entro 24 ore lavorative.
2. Il disegno personalizzato è disponibile e l'OEM è accolto favorevolmente.
3. Possiamo consegnare i pin della sonda ai nostri clienti in tutto il mondo con velocità e precisione.
4. Possiamo fornire al nostro cliente il prezzo più basso con un prodotto di alta qualità.

Prodotti Principali

Pin caricato a molla (singolo) per test PCB, ICT, FCT ecc.;

Pogo pin (connettore) per stabilire la connessione tra due circuiti stampati per applicazioni di ricarica, localizzazione, batterie, semiconduttori e interconnessione;

Sonda a doppia estremità per test BGA e semiconduttori;

Perno universale senza molla, perno rivestimento, perno LM con serie QZ e VZ;

Sonda ad alta corrente, sonda di commutazione, ago capacitivo;


Terminale e presa/presa;

Altri componenti elettronici correlati, cavo 30 # OK, serrature Jig, POM, cerniera in ferro ecc

Controllo di qualità

| | | |
|---|---|---|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  A tall, white, cabinet-style machine with a glass door on the upper half and a control panel on the right side. |  A white, rectangular device with a black front panel. It features a red emergency stop button, a power switch, and several control knobs and dials. The brand name 'YoRI' is visible on the top left. |  A white, rectangular device with a large green digital display showing '8888'. It has a warning symbol and a dial on the right side. |
| Microscope | Tensile strength tester | Spring tester |
|  A white and black compound microscope with a stage, objective lenses, and an eyepiece. |  A blue and white machine with a vertical column and a horizontal arm, used for testing the tensile strength of materials. |  A white machine with a vertical column and a horizontal arm, used for testing the properties of springs. |

Immagine dell'imballaggio



Fabbrica Immagine

