


## Specifiche di prodotto

Marca	SFENG
Codice articolo	SF-GB031B570D20-BB
Stantuffo	Becu, placcato oro
Barile	Becu, placcato in oro
Primavera	filo musicale
Consigliato Viaggi	0,65 mm
Viaggio completo	1,1 mm

## Immagine del prodotto



## Nostro servizio

1. Rispondi alla tua richiesta entro 24 ore lavorative
2. Il design personalizzato è disponibile, gli OEM sono i benvenuti
3. Consegna dei perni della sonda ai nostri clienti in tutto il mondo con velocità e precisione
4. Fornire al nostro cliente il prezzo più basso con alta qualità

## Prodotti Principali

- Perno caricato a molla (singolo) per test PCB, ICT, FCT, ecc;
- Pogo pin (connettore) per stabilire una connessione (solitamente temporanea) tra due circuiti stampati per ricarica, localizzazione, batteria, semiconduttori e interconnettere Applicazioni;
- Prova a doppia estremità con sonda orBGA e semiconduzione;
- Perno universale senza molla, perno di rivestimento, perno LM con serie QZ e VZ;
- Sonda ad alta corrente, sonda di commutazione, ago di capacità...
- Terminale e presa/presa;
- Altri componenti elettronici correlati, 30#OKwire, serrature Jig, POM, Ironhinge, ecc.

## Controllo di qualità


Spring exhausted tester	DC power supply	Current resistance tester
 A tall, white, industrial-grade cabinet with a glass door and a control panel on the right side.	 A white, rectangular device with a black top panel. The front panel features a red power switch, several knobs, and output terminals. The brand name 'YoRi' is visible on the top left.	 A white, rectangular device with a large green digital display showing '8888'. It has a warning symbol and a circular port on the right side.
Microscope	Tensile strength tester	Spring tester
 A white and black compound microscope with a digital camera attachment on top, mounted on a wooden desk.	 A blue and white mechanical testing machine with a vertical column and a sample holder, positioned in a laboratory setting.	 A white mechanical testing machine with a digital display and a control panel, used for testing springs.

Immagine dell'imballaggio

