

[Comune serie interruttore Pogo Pin Metal Sonda prodotta](#)

Specifica:

| | |
|-------------------|---|
| Marca | SFENG SONDA |
| Articolo Numero | Interruttore sonda SF-SP2.96 * 49.5 |
| tuffatore | Ottone |
| barile | Ottone |
| Primavera | Acciaio inossidabile |
| Placcatura | oro plated al di sopra di nichel |
| Testa di plastica | POM |
| Pin end | Bronzo |
| Forza della molla | 100 grammi |
| MOQ | 100PCS Se noi avere azione |
| Condurre tempo | 2-15days dopo ricevente il pagamento |

Prodotto Mostrare:

SFENG
The China's The World's









Il nostro prodotto principale:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

I nostri vantaggi:

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

Apparecchiature di prova:

| | | |
|--|--|---|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  |  |  |
| Microscope | Tensile strength tester | Spring tester |
|  |  |  |

Pacchetto:

