


Connettore a contatto Pogo a doppia testa

Specifica:

Marca	SFENG SONDA
Articolo Numero	Pogo pin a doppia testa SF031U330U30
tuffatore	Becu
barile	PhBz
Primavera	SWP
Placcatura	oro plated al di sopra di nichel
Primavera vigore	30g o su misura
Contatto Resistenza	<50m ohm
attuale razione	1A
MOQ	100PCS Se noi avere azione
Condurre tempo	2-15days dopo ricevente il pagamento

Immagine Mostrare:



SFENG
The China's The World's









I nostri vantaggi:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

Il nostro prodotto principale:

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

Apparecchiature di prova:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

Pacchetto:

