


## **specificazioni**

Marca	SFENG
Modello	Jig lock in plastica corto
Pistone /	/
Corpo	/
Primavera	/
Forza della molla	/
Viaggio completo	/
placcato	/
Resistenza corrente	NO
Spaziatura	NO
Dimensioni di montaggio	NO
MOQ	100
tempo di consegna	3 giorni dopo la conferma dell'ordine

## **Immagine blocco immagine**

# SFENG

The China's The World's





### ***nostro servizio***

1. Risposta rapida.
2. personalizzato è accettato.
3. Brevi tempi di produzione e consegna veloce.
4. Alta qualità e buon prezzo.

### ***Prodotti Principali***

Pin caricato a molla (singolo) di PCB, ICT, test FCT;

Perno a molla (connettore) per stabilire una connessione tra due schede di circuiti stampati per carica, posizionamento, batterie, semiconduttori e amplificatori; applicazioni di interconnessione;

Sonda a doppio attacco per test BGA e semiconduttori;

Perno universale senza molla, ago per vernice, perno LM serie QZ e VZ;

Sonda ad alta corrente, interruttori sonda, ago condensatori;

Pier e amplificatore; presa / presa;

Altri componenti elettronici correlati, linea 30 # OK, jig lock, POM, cerniere in ferro, ecc.

## *Processo produttivo*



**1. Raw material warehouse**



**2. Lathe workshop**



**3. Assemble workshop**



**4. Quality inspection**




**5. Finished products**




**6. Packing**

## *Apparecchiature di collaudo*



1. Agilent current testing



2. Quadratic element



3. Load Curve Meter



4. Bond Test



5. Life Fatigue Test



6. Microscope

## Imballaggio e consegna

Standard products will be delivered out within 3 days. Customized products will be sent out within 15 days.



**FAST  
DELIVERY**