


□□□□

□□□□□□
□□□□□□□□□□
□□□□□□0.6 * 95.25□□□□□□
□□□□□□□□□□□□□□□□□□□□□□□□

□□□□□



□□□□□□

- 1.Reply 24□□□□with□□□□□□□□
- 2.Customized □□□□□□OEM□□□□□□□□□□
- 3.Delivery □□□□□□□□□□□□□□□□□□□□□□
- 4.provide □□□□□□□□□□□□□□□□□□□□

□□□□

---□□□□□□□□ PCB□ICT□FCT□□□□□□□□□□□□

---□□ □□usuallytemporary□□□□□□□□□□□□□□□□

□ □□□□□□□□□□□□&□□□□□□□□□□□□□□□□□□□□

interconnectApplications;

---□□□□□□□□ probef orBGA&□038; semiconudtion□□□□

---□□□□□□□□ □□□□coatingpin□LM□□withQZ&□038; VZseries□

---□□□□ □□□□□□□□□□□□□□□□...

---□□□□□&□038;□□□□□□/□□□□□□

---□□□□□□ □□compents□30□OKwire□□□□□□□□POM□Ironhinge□□

□□□□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□□□□

