


□□□□□□

SFENG 1984 臺灣省教育廳編印（ICT FCT 臺灣省教育廳）

□□□□□

ICT 品質 評価指標 (QoS) 評価 VoIP 評価



□□□□

□□□

PCB □□□□□□


品名	SF-P160-E
规格	160
材质	钨钢
等级	3A
重量	200g±20% 长度 300mm
包装	7/10

品牌



说明

本说明书为SF-P160-E钻头的使用说明，请仔细阅读。本产品为钨钢材质，适用于各种金属材料的钻孔作业。使用时，请按照正确的操作方法进行操作，以确保钻孔质量和钻头的使用寿命。如有疑问，请咨询我们的客服人员。



000000



□□□□□□

Q1.□□□□□□□□

A1:

Q2.□□□□□□□□□□

A2: QC 1

Q3.□□□□□□□□

A3: □□□□□□□□□□□□□□□□□□□□□□□□□□

Q4.□□□□□□

A4:

Q5.

A5:

Q6.

A6: □□□□□□□□□□□□□□□□□□□□□□

Q7.OEM ODM

A7: 0000000000000000 OEM /ODM . P 000000 000000000000 00 0000000000000000

Q8. □□□□□□□□□□□□□□ □□□□

A8: T/T 0000000000 0 000000 L/C 00000000000000000000 MOQ 000000

□□□□□□□□

□□□□□□DHL□UPS□FedEx□TNT□EMS□□□□□□□□

	Exwork	FOB	CNF	CIF	
--	--------	-----	-----	-----	--





2023 ISO Certificate




Patent for Coaxial Structure



Patent for Honeycomb current probe

□□□□□□□□:







000000



CIBF2021

苏州胜亿福睿电子科技有限公司
Suzhou Shengyifurui Electronic Technology Co., Ltd

No.3B013

