

□□□□

| | |
|--------|---------------------|
| □□□□ | SFENG |
| □□□□ | SF-P156 |
| □□□□□□ | □□□□□□□□□□□□□□Ni□□□ |
| □□□ | □□□□□□□□Ni□□□ |
| □ | SK4□□□□□□ |
| □□□□□□ | 250□□□□ |
| □□□□ | 6.3□□□□□□□ |
| □□□□□ | □5□a□ |
| □□□□□□ | 50mΩ□ |
| □□□ | 4.75□□□□□□□ |
| □□□□□□ | 2.75□□□□□□□ |
| MOQ | 100 □ |
| □□□□□□ | 7 □□□□□□□□□□□□ |

□□□□□

胜峰探针
SFENG
The China's The World's

RoHS

QUALITY ASSURED FIRM
ISO 9001
SGS

CE

chinapogopinsupplier.com



chinapogopinsupplier.com

□□□□□□

- 1.Reply 24□□□□withn□□□□□□
- 2.Customized □□□□□□OEM□□□□□□□□
- 3.Delivery □□□□□□□□□□□□□□□□□□
- 4.provide □□□□□□□□□□□□□□□□

□□□□

--□□□□□□□□ PCB□ICT□FCT□□□□□□□□□□□□□□







--□□□□usuallytemporary□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□&□□□□□□□□□□□□□□□□□□□□□□

interconnectApplications;

- XXXXXXXXX probef orBGA&Q38; semiconudtionXXXX
- XXXXXXXXXXXXXXXXXcoatingpinLMXXwithQZ&Q38; VZseriesX
- XXXXXXXXXXXXXXXXXXXXXXXXXXXX...
- XXXXXX&Q38;XXXXXXXX/XXXXXX
- XXXXXXXXXXcompentsQ30OKwireXXXXXXXXPOMXIronhingeXX

XXXX

| | | |
|---|---|--|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  |  |  |
| Microscope | Tensile strength tester | Spring tester |
|  |  |  |

