


□□□□□□□□

SFENG 1984 年 () 年

□□□□□




□□□□

□□□	□□□□□□□□□□
□□□□□	SF-113-317-230A-1502M
□□	□□
□□□	Ni□□□□□Au
□□	5A
□□□	150±25gf@□□4□0mm
□□□□□□	7□10□

□□□□



POGO PIN (Pin Header / Pin Connector) 适用于 Bluetooth 模块、无线通信模块、
各种电子设备的接口连接。



000000



□□□□□□

Q1.□□□□□□□□

A1: () 

Q2.□□□□□□□□□□

A2: QC 1

Q3.□□□□□□□□

A3:

Q4.□□□□□□

A4:

Q5.□□□□□□□□□□□□□□□□

A5:

Q6.

A6:

Q7.OEM ODM

A7: 0000000000000000 OEM /ODM . P 000000 00000000000000 00 0000000000000000

Q8. □□□□□□□□□□□□□□ □□□□

A8: T/T L/C MOQ

□□□□□□□□

□□□□□□DHL□UPS□FedEx□TNT□EMS□□□□□□□□

Exwork FOB CNF CIF





2023 ISO Certificate



Patent for Coaxial Structure



Patent for Honeycomb current probe

□□□□□□□□:







000000



CIBF2021

苏州胜亿福睿电子科技有限公司
Suzhou Shengyifurui Electronic Technology Co., Ltd

No.3B013

