


探針規格表

說明

| | |
|------|---|
| 廠名 | SFENG 廠 |
| 零件號 | GB031D570D20-BB-A6 |
| 材料 | 針頭 : Becu / 針身 針頭 : Becu / 針身 針身 : PhBz / 針頭 針頭/針身/針尾/針柄 |
| 重量 | 20g |
| 針頭直徑 | 0.65mm |
| 針身直徑 | 1.1mm |
| 針尾直徑 | 0.45 |
| 針柄直徑 | 100mm 針柄 |
| 針頭長度 | 100,000 |
| MOQ | 100 個 針頭 針身 針尾 針柄 |
| 針頭角度 | 2-15 度 針頭 針身 針尾 |



說明:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

如有需要

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

□□□□:

| | | |
|---|---|--|
| Spring exhausted tester | DC power supply | Current resistance tester |
|  |  |  |
| Microscope | Tensile strength tester | Spring tester |

| | | |
|--|--|---|
|  |  |  |
|--|--|---|

□□□□□