


SFENG 0.45*25.8-BT

項目

廠名	SFENG
料號	0.45*25.8-BT
規格	材料 : Becu / Au on Ni 材料 : SK4 / Au on Ni 材料 : PhBz / Au on Ni 材料 : SWP
電流	0.5A
電阻	$\leq 100\text{m}\Omega$
長度	6.8mm
寬度	4.5mm
厚度	$75 \pm 20\%$
數量	100,000
MOQ	100
包裝	2 15

圖面說明









說明:

1. we have 30 years experience in probe pin and have ourself factory.
2. we provide free sample and have a testing department.
3. we could manufacture products as your request.
4. we guarantee best price and good service.

主要產品

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

地址:

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□□□

