


鍍金針針頭

規格

廠牌	SFENG 廠牌
型號	鍍金針針頭 SF031U330U30
品牌	Becu
材料	PhBz
規格	SWP
重量	鍍金針針頭 重量 0.03g
長度	30g 鍍金針針頭 長度 3.30mm
直徑	<50m 直徑
電阻	1A
MOQ	100PCS if 鍍金針針頭 100PCS
交期	2-15days 鍍金針針頭 交期

鍍金針針頭



SFENG
The China's The World's









□□□□□□

- 1.we have 30 years experience in probe pin and have ourself factory.
- 2.we provide free sample and have a testing department.
- 3.we could manufacture products as your request.
- 4.we guarantee best price and good service.

□□□□□□

Spring loaded pin (single) for PCB, ICT, FCT testing etc;
Pogo pin (connector) to establish connection between two printed circuit boards for charging, locating, Battery, Semiconductor & Interconnect applications;
Double ended probe for BGA and Semiconductor testing;
Universal pin without spring, coating pin, LM pin with QZ and VZ series;
High current probe, Switch probe, Capacitance needle;
Terminal & receptacle /socket;
Other related electronic components, 30# OK wire, Jig locks, POM, Iron hinge etc

□□□□□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□□□

