


□□□□

□□□□	SFENG
□□□□	SF-IP2.9 * 49
□□	□□□□
MOQ	100 □
□□□□□□	7 □□□□□□□□□□□□

□□□□□

SFENG
The China's The World's



Technical drawing of a pin with dimensions:

- Tip diameter: $\phi 2.1^{+0.03}_0$
- Second diameter: $\phi 2.25 \pm 0.02$
- Third diameter: $\phi 2.95 \pm 0.03$
- Tip thickness: $\phi 0.5$
- Section 1 length: 1
- Section 2 length: 1
- Section 3 length: 1
- Section 4 length: 4
- Section 5 length: 8.0
- Section 6 length: 8.8
- Section 7 length: 11.5
- Section 8 length: 39.5
- Section 9 length: 0.5
- Section 10 length: 0.4
- Total length: 48.3 ± 0.1
- Section 8 thickness: $\phi 0.64$

chinapogopinsupplier.com

SFENG
The China's The World's



chinapogopinsupplier.com

服務承諾

1. 24小時熱線服務
2. OEM/ODM服務
3. 品質保證
4. 價格公道

產品

PCB ICT FCT

24小時熱線服務




BGA

QZVZLM

;

&038;

30OKPOM

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
