

□□□□

□□□□	SFENG
□□□□	SF-HCP10*70
□□□□□□	□□
□□	□□
□	SUS
□□□	□□□□□□□□□□
□□□□□□	□□□□□□□□□□
□□□□□	30A
MOQ	100□
□□□□□□	□□□□□□□□□□□□7□□□

□□□□

SFENG
The China's The World's



Technical drawing of a pin with dimensions:

- Overall length: 70.0
- Section 1: Length 7.5, diameter $\phi 11.5$
- Section 2: Length 1.6, diameter $\phi 10.5$
- Section 3: Length 22.4, diameter $\phi 8.5$
- Section 4: Length 21.5, diameter $\phi 10.0^{0}_{-0.05}$
- Section 5: Length 17.0, diameter $\phi 10.0^{0}_{-0.05}$, thread M8*1.0
- Red dimension lines: 0.5, 25.0

chinapogopinsupplier.com



chinapogopinsupplier.com

產品系列

1. 24pin 連接器
2. 各種規格連接器 OEM 服務
3. 各種規格連接器
4. 各種規格連接器 .

服務

PCB ICT FCT 各種規格連接器 (各種)

各種規格 (各種) 各種規格連接器 2 各種規格連接器

BGA 各種規格連接器







各種規格連接器 QZ VZ LM

□□□□□□□□□□□□□□□□□□;

□□□□□□□□□□□□/□□□□;

□□□□□□□□□□30# OK □□□□□□□□□□POM□□□□□□□□

□□□□

Spring exhausted tester	DC power supply	Current resistance tester
		
Microscope	Tensile strength tester	Spring tester
		

□□□□□□

